

User Manual (English)




Table of Contents

General Safety Information	3
Warning - Volume Levels: Always Protect Your Hearing	4
About Bluetooth® Technology	5
Headset Components	6
Mic Alignment	7
Charging	8
Turning the Headset On and Off	10
Pairing the Headset & Auto Pairing	11
Disconnecting the Headset	12
Reconnecting the Headset	13
Operation	14
Adjusting The Earwrap.....	14
Placing/Answering a Call.....	15
Muting The Microphone.....	15
Ending/Rejecting a Call.....	15
Adjusting The Speaker Volume.....	15
Advanced Features	16
Walkie-Talkie Two-Way Communications	17

Table of Contents

Technical Specifications	18
Care and Maintenance	19
Battery Information	20
Callpod® Limited Warranty	21
Exclusions.....	21
Who Is Covered?.....	23
What Will Callpod Do?.....	23
What Other Limitations Are There?.....	25
Export Law Assurances	26
Approved Accessories	26
Notice to International Users	27
Copyright Notice	27
Product Registration	28
Certification	29

General Safety Information

FOR THE SAFE AND SUCCESSFUL OPERATION AND USE OF THIS PRODUCT, PLEASE READ AND FOLLOW THE INFORMATION CONTAINED IN THIS USER MANUAL BEFORE USE.



Do not open the Onyx headset as contents may cause electric shock.



Only use approved Callpod[®] - branded accessories and components as well as specified compatible electronic devices to ensure proper operation.



Please use the Onyx headset responsibly while traveling.

ⓘ **WARNING** - Volume Levels: Always Protect Your Hearing

The successive and long-term use of any headset or speakers at high volumes can potentially affect a user's hearing capacity. This can result in Noise Induced Hearing Loss ("NIHL"). NIHL may occur if a headset is used at maximum or high volumes for more than five (5) minutes per day and if medium volumes are used for more than one (1) hour per day. The human ear will typically adapt to a constant volume level set on a headset speaker. If this volume is changed to a higher level, it may, over time, result in damage to the ear even though no discomfort is felt. Exposure to sound at a close range, even at lower levels, could potentially result in hearing loss. The Onyx headset can reach a maximum volume of approximately 100 decibels. This volume is controlled by the user through both the headset volume control as well as via the mobile device that it is paired to (e.g. cell phone).

Like stereos and other sound emitting products that use speakers, please exercise personal care to select a comfortable volume. Please do not use this product at high volume levels.

About Bluetooth® Technology

Bluetooth® technology allows devices to communicate without wires over a short range. The Onyx is compliant with Bluetooth® Specification 2.0, which supports the Headset Profile 1.1 and Hands-free Profile 1.5.

To learn more about Bluetooth® and the applications of the technology, please visit,



www.bluetooth.com

Bluetooth is a registered trademark of Bluetooth SIG, Inc.




Headset Components

- Ⓐ Power & volume control button
- Ⓑ Dual microphones
- Ⓒ Multifunction button
- Ⓓ Red & ice blue LED
- Ⓔ Charging port
- Ⓕ Ear bud
- Ⓖ Speaker



Mic Alignment

The Onyx uses advanced Dual-mic Noise Suppression™ that is always "ON." In order for the headset to function properly, the two microphones must be positioned towards your mouth. This is easy to do. Once the headset is put on your ear, simply rotate the headset towards your mouth until the ear bud is compressed comfortably against your ear. The microphones will align automatically towards your mouth as shown below:



Charging


Before using your Callpod® Onyx headset, you must fully charge the headset. Charge the Onyx using the included wall adapter, car charger (sold separately), USB cable or with the Chargepod® (sold separately). The Onyx is powered by an internal lithium-ion rechargeable battery. **Please do not attempt to remove the battery from the case, as damage will occur to the headset and void your warranty.**

The red indicator light will turn on during charging. It may take a moment before charging starts, and it may take up to 2 hours to fully charge the battery. **When charging is complete, the red LED will turn off.**

If the battery becomes low on power while the headset is in use, you will hear a short beep every 20 seconds.

Charging


The charging components that are included with the Onyx allow you to charge via USB port on your computer, AC/DC wall adapter or car charger (sold separately).



Turning the Headset On and Off

To turn the headset on, press the power & volume control button until the red LED illuminates. The headset will play an ascending tone and the LED will flash red and ice blue indicating that it is ready to pair.

To turn the headset off, press and hold the power & volume control button until the red LED turns off. The headset will play a descending tone and then shut off.



power & volume control button

Pairing the Headset & Auto Pairing

When the Onyx is powered on, it will first attempt to reconnect to the last phone used (if any). If the phone is out of range or not available, the Onyx will automatically enter a discoverable state. You have 100 seconds to pair the Onyx to your cell phone or PC before it enters a low power sleep mode. If the headset is not paired within 100 seconds, simply push the power & volume control button and it will enter discoverable mode for another 100 seconds.

Search for available Bluetooth® devices from your phone or computer.

Select the "CALLPOD Onyx" headset and enter the pass code "0000" when prompted.

If necessary, instruct your phone or computer to complete the connection with the Onyx.

You only need to pair the Onyx with your phone and/or computer once; simply select the Onyx from the menu when you wish to use it.

Pairing and Disconnecting the Headset

Pairing a second device. Onyx supports real time switching between two connected devices. If you are currently connected to a phone, in order to pair another device you will have to put your Onyx in discoverable mode. To do this, simply push the power & volume control button once. The ice blue and red LEDs will flash and you may now begin pairing the Onyx to your second device.

Switching between devices. Onyx will automatically switch between two connected devices based on which device has requested an active audio channel.

To disconnect your headset from your current device, you can:

Shut the Onyx off. To turn off the headset, press and hold the power & volume control button until the red LED turns off.

Clear the pairing memory. To clear the pairing memory of the Onyx, press and hold the multifunction button until the LED lights ice blue and red at the same time. The Onyx will then enter a discoverable state.

Reconnecting the Headset

When powered on, the Onyx headset will automatically reconnect to the last connected phone. If the headset is on but not connected to any devices, pressing the multifunction button will establish a connection to the last connected phone.

You may have to re-establish the connection from the Bluetooth® menu on your phone or computer.


If you encounter problems reconnecting:

- Ensure your phone or Computer's Bluetooth® functionality is enabled.
- Ensure that your Onyx headset is fully charged.
- Clear the pairing memory and re-pair to the device.
- Contact customer service for other inquiries not addressed here.

www.callpod.com/contact

Operation

Adjusting the ear wrap. The ear wrap is fully adjustable in that it can slide up or down, left or right as well as rotate 180 degrees to fit most ear sizes on both the left or right ear. To adjust the headset for a comfortable fit, simply slide the ear wrap up or down and position the body of the headset so that the ear bud fits comfortably in your ear (as shown below).



Alignment. The two microphone holes on the headset should make a line that points to your mouth when the Onyx is in use.

Operation

Placing a call with voice dialing (if supported by phone). With no call present, press the multifunction button and speak the name of the person you want to call. For the best results, record the voice tags for voice dialing using the Onyx headset.

Answering/Ending a call. When the headset rings, press the multifunction button to accept an incoming call. If a call is already present, the first call will be placed on hold. The calls can then be swapped by pressing the multifunction button. While on a single or conference call, press the multifunction button to end the call.

Muting the microphone. While on a single call, press and hold the multifunction button to mute your microphone. Press and hold the multifunction button again to unmute.

Rejecting a call. Pressing and holding the multifunction button on an incoming call will reject the call. If on a call with a call on hold, pressing and holding the multifunction button will hang up the active call.

Adjusting the speaker volume. To increase or decrease the speaker volume, press the power & volume control button up or down. **Note: Volume control directions are opposite when the headset is in the left ear.**

Advanced Features

Conference calling. While on a call with a call on hold, tap the power & volume control button to join the two calls in a conference. Press and hold the multifunction button to hang up the conference call.

Connecting to a phone and computer (or two phones) simultaneously

The Onyx headset can store pairing information with eight devices without having to re-pair. Two of those devices may be connected simultaneously to the headset. For instance, you can connect to your cell phone and to your computer for accepting Skype™ calls.

When connected to two devices, the Onyx headset is able to control call handling through the multifunction button. If you are on your cell phone and a call comes in from your Skype™ account, you can answer the call by pressing the multifunction button. After the Skype™ call has ended, the headset will automatically return you to the mobile phone call.

Walkie-Talkie 2-Way Communications

Connecting Two Callpod[®] Headsets Together (2-way Communication Mode)

If you have two Callpod Bluetooth headsets, you can communicate headset-to-headset in full duplex up to of 84,000 sq. ft. [7,800 sq. meters] area (in open spaces). To connect two headsets together:

1. Make sure Headset **A** is in a discoverable state (flashing red and ice blue LED)
2. Power off Headset **B**
3. Power on Headset **B** while holding the multifunction button. The ice blue LED will flash repeatedly.

After a few moments, Headset **B** will seek out the other Callpod headset and automatically establish the connection. When the two Callpod Headsets are connected, either party can speak in full duplex (at the same time with no voice cancellation). To open or close the audio channel, press the multifunction button once (do not hold the button down). By using the multifunction button to open and close the channel, you will significantly increase talk time versus having the audio channel open continuously. Either user can open or close the channel.

Technical Specifications

Specifications	
Connectivity	Bluetooth® 2.0/AFH
Profile Support	Hands-free & Headset
Frequency Band	2.4 - 2.4835 GHz
RF Output	Class 1
Working Range	≤50m [164 ft.]
Input Power	3.7 VDC Built-in Lithium-ion Battery 5VDC (via USB port for charging)
Operating Temperature	0° C to 50° C
Operating Time	≤5 hours talk time & ≤120 hours of standby
Dimensions	0.96" W [24.38mm] × 2.17" L [54.86mm] × 0.63" H [16mm]
Weight	0.3oz [8.51g]

Care and Maintenance

- Please keep the headset and all accessories out of the reach of small children.
- Do not use other manufacturer's power supplies or adapters with the headset.
- Do not attempt to open the outer casing of the headset.
- Do not clean the headset with harsh chemicals, and keep it away from liquids.
- Do not expose the headset to extreme temperatures.
- Do not paint or apply coatings or stickers to the headset, as you might affect moving parts, damage internal components, or block or impede the microphones.

Battery Information

A rechargeable lithium-ion battery powers the Onyx headset. The full performance of a new battery is achieved only after two or three complete charge and discharge cycles. To charge the Onyx headset, use only Callpod® designated power supplies and adapters.

Unplug the charger from the electrical plug and the device when not in use. Do not leave a fully charged battery connected to a charger, as overcharging may shorten the lifetime of the internal battery.

Never use a damaged charger. Leaving a device in hot or cold places, such as in a closed car in summer or winter conditions, will reduce its battery capacity and life. A device with a very hot or cold battery may not work temporarily, even when the battery is fully charged. Battery performance is particularly limited in temperatures well below freezing. Do not dispose of batteries in a fire, as they may explode. Batteries may also explode if damaged. Dispose of batteries according to local regulations and recycle when possible.

Callpod Limited Warranty

Subject to the exclusions contained below, Callpod, Inc. warrants Callpod®-branded products to be free from defects in materials and workmanship under normal consumer usage for the period(s) outlined below. This limited one-year warranty is a consumer's exclusive remedy and applies as follows to new Callpod products and accessories purchased by consumers. This warranty is limited to one-year from the time of purchase by the original consumer (i.e. first purchase date).

EXCLUSIONS

Normal Wear and Tear. Periodic maintenance, repair and replacement of parts due to normal wear and tear are excluded from coverage.

Abuse & Misuse. Defects or damage that result from: (a) improper operation, storage, misuse or abuse, accident or neglect, such as physical damage (cracks, scratches, etc.) to the surface of the product resulting from misuse; (b) contact with liquid, water, rain, extreme humidity or heavy perspiration, sand, dirt, extreme heat, or food; (c) use of this product(s) for commercial purposes or subjecting the product(s) to abnormal usage or conditions; or (d) other defects or damage from acts that are not the fault of Callpod®, are excluded from coverage.

Callpod Limited Warranty

Use of Non-Callpod Products and Accessories. Defects or damage that result from the use of non-Callpod-branded or certified products, accessories, software or other peripheral equipment are excluded from coverage.

Unauthorized Service or Modification. Defects or damages resulting from service, testing, adjustment, installation, maintenance, alteration, or modification in any way by someone other than a Callpod® representative or someone from an authorized service center, are excluded from coverage.

Altered Products. Products or accessories with (a) serial numbers or date tags that have been removed, altered, or obliterated; (b) broken seals or seals that show evidence of tampering; (c) mismatched serial numbers; or (d) nonconforming or non-Callpod housings or components, are excluded from coverage.

Communication Services. Defects, damage, or the failure of products, accessories or software due to any communication service or signal you may subscribe to or use with the products, accessories, or software is excluded from coverage.

Callpod Limited Warranty

Who is Covered?

This warranty extends only to the first consumer purchaser and is not transferable.

What Will Callpod® Do?

Under this warranty, Callpod, at its sole discretion, will at no charge either repair, replace or refund the purchase price of any covered product, accessory or software. We may use functionally equivalent reconditioned/refurbished/pre-owned or new products, accessories or parts.

For additional information, please visit us at:

www.callpod.com

Callpod Limited Warranty

You will receive instructions on how to ship any products or accessories at your expense, to a Callpod® authorized repair center. To obtain service, you must include: (a) a copy of your receipt, bill of sale or other comparable proof of purchase; (b) a written description of the problem; (c) the name of your service provider, if applicable; (d) the name and location of the installation facility if applicable and (e) your mailing address and telephone number.

Some states and jurisdictions do not allow the limitation or exclusion of incidental or consequential damages, or limitations on the length of an implied warranty, so the above limitations or exclusions may not apply to you. This warranty may give you specific legal rights, and you may also have other rights that vary from state to state or from one jurisdiction to another.

Callpod Limited Warranty

What Other Limitations Are There?

ANY IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, SHALL BE LIMITED TO THE DURATION OF THIS LIMITED WARRANTY, OTHERWISE THE REPAIR REPLACEMENT, OR REFUND AS PROVIDED UNDER THIS EXPRESS LIMITED WARRANTY IS THE EXCLUSIVE REMEDY OF THE CONSUMER, AND IS PROVIDED IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED. IN NO EVENT SHALL CALLPOD BE LIABLE, WHETHER IN CONTRACT OR TORT (INCLUDING NEGLIGENCE) FOR DAMAGES IN EXCESS OF THE PURCHASE PRICE OF THE PRODUCT, ACCESSORY OR SOFTWARE, OR FOR ANY INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR LOSS OF REVENUE OR PROFITS, LOSS OF BUSINESS, LOSS OF INFORMATION OR DATA, SOFTWARE OR APPLICATIONS OR OTHER FINANCIAL LOSS ARISING OUT OF OR IN CONNECTION WITH THE ABILITY OR INABILITY TO USE THE PRODUCTS, ACCESSORIES OR SOFTWARE TO THE FULL EXTENT THESE DAMAGES MAY BE DISCLAIMED BY LAW.

Export Law Assurances

This product is controlled under the export regulations of the United States of America. The Government of the United States of America may restrict the exportation or re-exportation of this product to certain destinations. For further information contact the U.S. Department of Commerce and International Trade Commission.

Approved Accessories

It is critical to use Callpod[®]-branded adapters and power supplies only. Use of non-approved products may cause safety hazards and damage your personal electronic devices. Callpod is not responsible for devices damaged while using non-approved products and or accessories. The use of non-Callpod-branded accessories (e.g. power adapters and power cables) with your Onyx headset will void your warranty. For a list of approved Callpod accessories, please visit us at:

www.callpod.com

Notice to International Users

Prior to traveling outside of the United States of America, please make sure to have a compatible plug adapter to use internationally. For a list of universal outlet adapters for recommendation and purchase, please visit us at:

www.callpod.com

Copyright Notice

All Callpod® products and information shared in this manual are protected by copyright. Copying, reproducing, reverse engineering or distributing any information of Callpod-related products hardware or software without a formal and written authorization and license from Callpod, Inc. is prohibited and may result in legal action.

Product Registration

Register products online at:

www.callpod.com/product/registration

or by phone: 1-800-951-CPOD

Product registration is an important step towards enjoying your new Callpod® product. Registering helps us facilitate warranty service and permits us to contact you should your product require an update or other service. Registration is not required for warranty coverage. Your serial number can be found on the inside of the back cover of this manual.

Please retain your original dated sales receipt for your records. For warranty service of your product you will need to provide, at a minimum, a copy of your dated sales receipt with the specified product to confirm warranty status.

Certification

The Onyx is certified by UL, CE, FCC, PSE and Bluetooth® for safety and reliability.

Unauthorized changes or modifications to this device may impair your ability to operate this device and will void the warranty.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This Class B digital apparatus complies with Canadian ICES-003.